British Journal of Plastic Surgery (1991), **44**, 633–643
© 1991 The Trustees of the British Association of Plastic Surgeons

BRITISH JOURNAL OF PLASTIC SURGERY

Subject Index

A

Abdominal wall
  anterior, reconstruction of musculo-aponeurotic element using dermis, 619
  reconstruction, bilobe modification of deep inferior epigastric artery flap (case report), 541
Abdominoplasty, complications and long-term results, 190
Adipofascial turn-over flaps
  dorsal skin defects of hand and finger, 165
  reconstruction of dorsum of foot, 170
Adipomusculocutaneous flaps, reperfusion injury, 500
Agnathia-holoprosencephaly, long surviving case, 386
Alginate dressings *see* Calcium alginate dressings
Alveolabial sulcus, bilateral cleft lip and palate, 463
Amniotic fluid, effect on *in vitro* foetal wound healing, 302
Anaesthetics, local
  comparison of solutions at room temperature and body temperature, 147
  in dental cartridges (letter to editor), 471
Angiogenesis, role in delay phenomenon, 526
Arteries
  microarterial prostheses
    PTFE, alcohol pre-treatment, 428
  traumatic vasospasm, effect of topical lidocaine and pentobarbital, 341
Audit codes, 62
Axial pattern flaps, thin transferable, prefabrication (letters to editor), 472
Axilla
  burn scar contracture, treatment using ascending scapular flap, 97
  osmidrosis and hyperhidrosis (letters to editor), 392, 554

B

Bag packers' hand (letter to editor), 158
Bone, calvarial, harvesting, 626
Brachioradialis muscle flaps, distally-based, 30
Breast
  augmentation, capsular contraction, effect of textured surface implants, 444
  hypoplasia (letter to editor), 627
  implants, comparison of textured and smooth, 444
  reconstruction, using latissimus dorsi flaps, 1, 392 (letter to editor)
Burns
  children, treatment using intermingled autograft and parental allograft skin, 608
  contractures
    axillary, treatment using ascending scapular flap, 97
    groin, release by medial thigh fasciocutaneous flap, 36
  cultured epidermal allografts, 321
  sulphur mustard, 434
  vesicant, 434

C

Calcium alginate dressings
  for mini skin grafts, 55
  split skin graft donor sites, 333
    comparison with scarlet red dressings, 247
Calvarial bone, harvesting, 626
Carbon fibre implants in prevention of pressure sores in spinal injury patients, 615
Carcinoma, squamous cell metastatic, presenting as cellulitis (case report), 622
Cartilage grafts, bovine irradiated gluteraldehyde preserved, in nasal reconstruction, 483
Cheeks
  island flap, use in lower eyelid, 183
  reconstruction along with palate, using three-paddle tensor fasciae latae free flap, 234 (case report), 554 (letter to editor)
Chest wall reconstruction
  by rectus abdominis myocutaneous composite flap with external oblique fascia, 538
  using combination of contralateral latissimus dorsi and rectus abdominis musculocutaneous flap, 102
Children
  burns, treatment using intermingled autograft and parental allograft skin, 608
  microvascular surgery, 276
  microvascular tissue transfer, 423
Chondrocutaneous flap, in correction of microtia with construction of tragus, 250
Chondrodysplasia punctata, nasal augmentation using tissue expansion, 384
"Conchal show" measurements and prominent ear correction (letter to editor), 627
Coup de sabre, repair with tissue expander, 575
Craniofacial reconstruction, side table assembly in, 348
Cryptotia, correction using subcutaneous pedicled flap, 406
Cultured epidermal allografts (CEA) on partial-thickness burn wounds, survival assessment, 321
Cultured epithelial grafts (CEG), in treatment of donor sites, 12
Cysts, dermoid, sublingual, symphyseal mandibular osteotomy in approach to (case report), 544
Cytomegalovirus infection and congenital infiltrating lipomatosis of face (letter to editor), 157

D

Delay
  expanded skin flaps in lower limb resurfacing, 266
  morphological changes in vascularisation of delayed flaps, 285
  role of angiogenesis, 526
Dermacarrier, modification to obtain meshed split skin grafts of different expansion ratios (ideas and innovations), 315
Dermis, use in reconstruction of musculo-aponeurotic element of anterior abdominal wall, 619
Dermoid cysts, sublingual, symphyseal mandibular osteotomy in approach to (case report), 544
Dorsalis pedis flap, in reconstruction of completely burned nose, 570
Drainage tubes, obstruction of closed suction tubes and prevention by coating with silicone gel drug delivery system, 589
Dressings *see* Wounds, dressings
Drooling, treatment by parotid duct ligation and submandibular duct diversion, 415
Dupuytren's contracture, distal interphalangeal joint, 602

E

Ears
  avulsed, reconstruction by constructing a composite free flap (case report), 153
  cryptotia, correction using subcutaneous pedicled flap, 406

microtia, correction with construction of tragus using chondrocutaneous flap, 250
prominent, "conchal show" measurements (letter to editor), 627
ptosis (letter to editor), 627
Electrodes, electrosurgical, improved wound healing, 495
Electrosurgery, improved wound healing, 495
Emboli, following poor arterial anastomosis technique, 126
Epidermal allografts, cultured *see* Cultured epidermal allografts
Epigastric artery flap, deep inferior, bilobe modification, use in abdominal wall reconstruction (case report), 541
Epiphyseal transfer, free vascularised, designed on reverse anterior tibial artery (case report), 57
Epithelial grafts, cultured *see* Cultured epithelial grafts
Eyelids
lower
cheek island flap for, 183
repair using triangular skin flaps with subcutaneous pedicles, 363
sebaceous carcinoma, surgical treatment, 117

F

Face
augmentation, galeal temporalis flap, 281
congenital infiltrating lipomatosis related to cytomegalovirus infection (letter to editor), 157
paralysis, reanimation using gracilis muscle grafts, 195
supraperiosteal lifting of upper two-thirds, 325
see also Craniofacial...
Fasciocutaneous flaps
lateral supramalleolar, 459
medial, of thigh, for release of post-burn groin contractures, 36
posterior interosseous, 449
Feet
dorsum, reconstruction using adipofascial turn-over flap, 170
soles, reconstruction of defects using modification of island subcutaneous pedicle flap, 179
Femur, free vascularised flap from internal condyle, use in mandibular reconstruction, 397
Fibroblast growth factor, effect on neovascularisation process, 585
Fingers
dorsal skin defects, adipofascial turn-over flap, 165
microvascular transfer of second toe, 87
reconstruction of distal phalanx by free second toe transfer, 456
replantation, use of afferent arteriovenous fistula in, 230
skin defects with poor blood supply, use of sliding venous flap, 368
tips, reconstruction with dorsal transposition flap, 530
Fitzgibbon, George Molyneux, obituary, 75
Flexor digitorum brevis muscle flaps, in reconstruction of plantar heel defects, 109
Forearm
flaps
posterior interosseous, 449
radial *see* Radial forearm flaps
skin defects, repair using axial dorsal metacarpal V-Y advancement flap, 274
Forehead
expansion, pain and, 41
innervation and functional reconstruction, 351
Free flaps
composite, construction for reconstruction of avulsed ear (case report), 153
dorsalis pedis, in reconstruction of completely burned nose, 570
medial scapular osteofasciocutaneous, 477
radial forearm, without venous return, survival (case report), 60
radial mid-forearm, in one-staged cover and revascularisation of traumatised limbs, flow-through circulation in, 533
three-paddle tensor fasciae latae, in reconstruction of cheek and palate, 234 (case report), 554 (letter to editor)
transfer, in children, 423
vascularised osteocutaneous, from internal condyle of femur, use in mandibular reconstruction, 397
Frontonasal flaps, 201

G

Galeal temporalis flap in facial augmentation, volume limitation, 281
Gluteraldehyde preserved bovine cartilage, irradiated, 483
Gracilis muscle grafts, facial palsy reanimation, 195
Grafts, external fixation, use of wire frame (ideas and innovations), 69
Groin
flaps, oblique, 295
post-burn contractures, release by medial thigh fasciocutaneous flap, 36

H

Haemangiomas, nasal bone, 206
Hands
bag packers' hand (letter to editor), 158
dorsal skin defects, adipofascial turn-over flap, 165
pyogenic closed space infections, catheter irrigation, 270
reconstruction
history 1891-1991, and Carl Nicoladoni, 406
posterior interosseous flap, 449
Head and neck reconstruction
free medial scapular osteofasciocutaneous flap, 477
with latissimus dorsi musculocutaneous flap, subclavicular approach (ideas and innovations), 71
pedicled extended serratus anterior myocutaneous flap, 259
Heart surgery, delayed thoracic closure in infants, 106
Heels, plantar defects, reconstruction using skin-grafted flexor digitorum brevis flap, 109
History, reconstructive hand surgery 1891-1991, and Carl Nicoladoni, 406
Holoprosencephaly, agnathia, long surviving case, 386
Hyaluronan and wound healing, 575
Hydrocolloid dressings, split skin graft donor sites, 333
Hynes, Wilfred, obituary, 551
Hyperhidrosis, axillary, treatment (letters to editor), 392, 554
Hypertelorism, evaluation of results of surgery, 81
Hypospadias
method of locating tiny fistulae (ideas and innovations), 236
subcoronal, with complete prepuce, 122

I

Implants
breast *see* Breast implants
carbon fibre, in prevention of pressure sores in spinal injury patients, 615
Infections, closed space, of hand, catheter irrigation, 270
Interosseous flaps, posterior, 449
Interphalangeal joint, distal, Dupuytren's contracture, 602
Island flaps
cheek, use in lower eyelid, 183
posterior tibial artery, very long, 599
septocutaneous, for repair of soft-tissue defects of lower leg, 175
subcutaneous pedicle, for reconstruction of defects of sole of foot, 179

J

Jejunum, double lumen free transfer for reconstruction of entire floor of mouth, pharynx and cervical oesophagus, 44
Jelonet as temporary dressing for excised wounds, 612

K

Kay-Kilner prize Essay 1990, Plastic surgery in a changing health service, 187
Keloids, treatment with silastic sheeting (letter to editor), 318
Keratinocytes, growth *in vitro*, effects of granulation-tissue- conditioned medium, 219

L

Latissimus dorsi musculocutaneous flaps
along with rectus abdominis musculocutaneous flap, in chest wall reconstruction, 102
in breast reconstruction, 1, 392 (letter to editor)
in head and neck reconstruction, subclavicular approach (ideas and innovations), 71
Legs, soft-tissue defects of lower leg, repair using medial island septocutaneous flap, 175
Lidocaine, topical, effect on traumatic vasospasm in rabbit ear artery, 341
Lignocaine gel in pain relief on skin graft donor sites (letter to editor), 157
Limbs
lower *see* Lower limbs
traumatised, one-staged coverage and revascularisation by flow-through radial mid-forearm free flap, 533
Lipomatosis, congenital infiltrating, of face, related to cytomegalovirus infection (letter to editor), 157
Lips
cleft
bilateral, multidisciplinary approach to treatment, 486
and cleft palate, alveolabial sulcus in, 463
and cleft palate, orthodontic evaluation of 16 year olds after neonatal repair, 557
and cleft palate, unoperated until young adulthood, 378
nasal deformities *see* Nose, cleft lip
Lips (continued)
upper
duplication, along with duplication of maxilla (case report), 468
whistling deformity *see* Whistling deformity
Lower limbs
ischaemic, combined microsurgical and thrombolytic salvage in preterm neonate, 310
resurfacing, surgical delay of expanded skin flaps, 266

M

Mammaplasty, augmentation, capsular contraction, effect of textured surface implants, 444
Mandible
reconstruction, using free vascular osteocutaneous flap from internal condyle of femur, 397
symphyseal osteotomy in approach to sublingual dermoid cyst (case report), 544
Maxilla, duplication, along with duplication of upper lip (case report), 468
Mediastinal wound defects, supercharging rectus abdominis muscle to provide single flap, 243
Melanoma, malignant, amelanotic lentigo (case report), 312
Metacarpal flaps, dorsal, axial V-Y advancement flap for repair of forearm skin defects, 274
Microsurgery, modified needle holders (letters to editor), 157 471
Microtia, correction with construction of tragus using chondrocutaneous flap, 250
Microvascular
anastomosis, more emboli following poor arterial anastomosis technique, 126
prostheses, alcohol pre-treatment of PTFE microarterial prostheses, 428
surgery
atraumatic removal of sutures, (ideas and innovations), 236
children, 276
tissue transfer, children, 423
Moriarty's sign, 149, 553 (letters to editor)
Mouth, floor, reconstruction along with pharynx and cervical oesophagus, using free jejunal transfer, 44
Muscle flaps
brachioradialis, distally-based, 30
flexor digitorum brevis, in reconstruction of plantar heel defects, 109
rectus abdominis, inferior, 438
Muscles
free transfer, monitoring by pulse oximetry, 27
gracilis muscle graft in facial palsy reanimation, 195
transplantation, influence of tension, immobilisation and denervation, 224
Musculocutaneous flaps
combined contralateral latissimus dorsi and rectus abdominis, in reconstruction of chest wall defects, 102
dartos, 33, 392 (letter to editor)
latissimus dorsi, head and neck reconstruction, subclavicular approach (ideas and innovations), 71
rectus abdominis
composite flap incorporating external oblique fascia, in chest wall reconstruction, 538
inferior, 438
Musculocutaneous flaps (continued)
serratus anterior, pedicled extended, for head and neck reconstruction, 259
Mustard gas burns, 434

N

Naftidrofuryl, effect on ischaemic skin flap survival, 338
Nasal bone haemangiomas, 206
Nasiolabial flaps pedicled on infraorbital vessels in reconstruction of short nose deformity, 567
Needle holders for microsurgery (letters to editor), 157, 471
Needle-hook (ideas and innovations), 156
Neonates, pre-term, combined microsurgical and thrombolytic salvage of ischaemic lower limb, 310
Nerves
peripheral, repair with skeletal muscle autografts, specificity for homonymous pathways, 135
regeneration, mixed motor and sensory nerve, 215
Nicoladoni, Carl, 406
Nifedipine, effect on ischaemic skin flap survival, 299
Nipples, inverted, correction with or without duct division, 372
Nose
ala, reconstruction, 359
augmentation in chondrodysplasia punctata using tissue expansion, 384
cleft lip
preoperative non-surgical over-correction, 5
symmetry, comparison of Pigott and McComb correction techniques, 562
reconstruction
burn injury, using free dorsalis pedis flap, 570
frontonasal flap, 201
short nose deformity, using nasiolabial flaps pedicled on infraorbital vessels, 567
use of bovine irradiated gluteraldehyde preserved cartilage, 483
refinement of very broad tip, 570

O

Obituaries
Fitzgibbon, George Molyneux, 75
Hynes, Wilfred, 551
Oesophagus, cervical, reconstruction along with mouth floor and pharynx, using free jejunal transfer, 44
Orbit, dystopia, evaluation of results of surgery, 81
Orf, recurrent, immunocompromised host, 465
Osmidrosis, axillary, treatment (letters to editor), 392, 554
Osteocutaneous flaps, from internal condyle of femur, use in mandibular reconstruction, 397
Osteofasciocutaneous flaps, free medial scapular, for head and neck reconstruction, 477
Oximetry, pulse *see* Pulse oximetry
Oxygen, reactive *see* Reactive oxygen

P

Palate
cleft
alveolabial sulcus in, 463
orthodontic evaluation of 16 year olds after neonatal repair, 557

unoperated until young adulthood, 378
reconstruction along with cheek, using three-paddle tensor fasciae latae free flap, 234 (case report), 554 (letter to editor)
Parotid duct ligation, in treatment of drooling, 415
Penis, duplication (case report), 151
Pentobarbital, topical, effect on traumatic vasospasm in rabbit ear artery, 341
Pharynx, reconstruction along with mouth floor and cervical oesophagus, using free jejunal transfer, 44
Plantar defects, heel, reconstruction using skin-grafted flexor digitorum brevis flap, 109
Plastic surgery
in changing health service (Kay-Kilner Prize Essay 1990), 187
training, video assessment in, 65
Poland's syndrome, preoperative assessment using computed tomography, 604
Polyethylene sheet as temporary dressing for excised wounds, 612
Polytetrafluoroethylene (PTFE) microarterial prostheses, alcohol pre-treatment, 428
Pressure sores, prevention in spinal injury patients by carbon fibre pad insertion, 615
Propeller flaps, 53
for reconstruction of tubercle of upper lip, 113
Prostheses
PTFE microarterial, alcohol pre-treatment, 428
Pulse oximetry, in monitoring of free muscle flaps, 27

R

Radial artery anomaly, relevance for forearm flap (case report), 390
Radial forearm flaps
flow-through, in one-staged cover and revascularisation of traumatised limbs, 533
free, without venous return, survival (case report), 60
radial artery anomaly and (case report), 390
Reactive oxygen species in post-ischaemic flaps, 130
Rectus abdominis muscle
inferior, flaps, 438
musculocutaneous flaps
along with contralateral latissimus dorsi musculocutaneous flap, in reconstruction of chest wall defects, 102
composite flap incorporating external oblique fascia, in chest wall reconstruction, 538
supercharging, to provide single flap for large mediastinal wound defects, 243
Replantation surgery, comparison of intra-arterial and intravenous infusion of antithrombotic agents, 520

S

Saphenous vein, long, in arterialised venous flap, 23, (letter to editor), 628
Scalp, wounds, dressing, securing of (case report), 155
Scapular flaps
ascending, 97
use in treatment of axillary burn scar contracture, 97
free medial osteofasciocutaneous, for head and neck reconstruction, 477
Scarlet red dressings, split thickness skin graft donor sites, comparison with calcium alginate dressings, 247
Scars
relation of wound tension to scar morphology in pre-sternal scar, 291
treatment with silastic® sheeting (letter to editor), 318
Septocutaneous flap, medial island, for repair of soft-tissue defects of lower leg, 175
Serratus anterior musculocutaneous flap, pedicled extended, for head and neck reconstruction, 259
Silicone
breast implants, comparison of textured and smooth surfaces, 444
gel, drug delivery system, use in coating closed suction drainage tubes, 589
sheeting, in treatment of scars and keloids (letter to editor), 318
Skin
artificial, bilayer, with sustained antibiotic release, 42
extensibility, variation according to age and site, 418
flaps
axial-pattern, prefabrication (letters to editor), 472
expanded, in lower limb resurfacing, delay of, 266
ischaemic, effect of Naftidrofuryl, 338
ischaemic, effect of nifedipine on survival, 299
prefabrication using vein grafts, 593
survival, effect of fibroblast growth factor, 585
grafts
burned children, use of intermingled autograft and parental allograft skin, 608
calcium alginate dressing for mini skin grafts, 55
cultured epidermal allografts on burn wounds, 321
donor sites, calcium alginate and scarlet red dressings, 247
donor sites, pain relief using topical lignocaine gel (letter to editor), 157
donor sites, re-epithelialisation with hydrocolloid and alginate dressings, 333
donor sites, treatment with cultured epithelial grafts, 12
split-skin grafts, donor sites, calcium alginate and scarlet red dressings, 247
split-skin grafts, modification of dermacarrier to obtain grafts of different expansion ratios (ideas and innovations), 315
split-skin grafts, Moriarty's sign, 149, 553 (letters to editor)
split-skin grafts, re-epithelialisation of donor areas with hydrocolloid and alginate dressings, 333
Sleep apnoea, obstructive, uvulopalatorrhaphy in (case report), 624
Specialization, definition of terms (letter to editor), 554
Sternoclavicular joint
pedicled transfer in temporomandibular arthroplasty, 410
swellings, 403
Submandibular duct diversion, in treatment of drooling, 415
Submandibular gland transfer, for management of xerophthalmia, 506
Sulphur mustard burns, 434
Supramalleolar flap, lateral, 459
Sutures, atraumatic removal of microsutures (ideas and innovations), 236

T

Tattoos, removal (letter to editor), 471
Temporalis flap, galeal, in facial augmentation, 281
Temporomandibular joint, arthroplasty by pedicled transfer of sternoclavicular joint, 410
Tendon spacer, migration of (letter to editor), 393
Tensor fasciae latae, three-paddle free flap, in reconstruction of cheek and palate, 234 (case report), 554 (letter to editor)
Thigh
anterolateral flaps, 91
medial fasciocutaneous flap, for release of post-burn groin contractures, 36
Thrombosis prevention
replantation surgery, comparison of intra-arterial and intravenous infusion of antithrombotic agents, 520
Tibial artery
anterior, in free vascularised epiphyseal transfer (case report), 57
posterior, very long island flap, 599
Tissue expansion
forehead, pain and, 41
nasal augmentation in chondrodysplasia punctata, 384
in repair of coup de sabre, 575
Toes, second
free transfer for reconstruction of distal phalanx of fingers, 456
microvascular transfer to finger, 87
Tragus construction in microtia correction, using chondrocutaneous flap, 250
Tubes, drainage *see* Drainage tubes
Turban tumour (letter to editor), 318
Turn-over flaps, adipofascial
dorsal skin defects of hand and finger, 165
reconstruction of dorsum of foot, 170
Twins, craniopagus, separation, 59

U

Ultraviolet irradiation
effects on wound healing, 210
UVA, effect on wound tensile strength, 509
Uvulopalatorrhaphy in obstructive sleep apnoea (case report), 624

V

V-Y advancement flap, axial dorsal metacarpal, for repair of forearm skin defects, 274
Vasospasm, traumatic, effect of topical lidocaine and pentobarbital, 341
Vein grafts, use in prefabrication of skin flaps, 593
Venous flaps
arterialised, using long saphenous vein, 23, 628 (letter to editor)
sliding, for treatment of skin defects with poor blood supply on lateral aspect of fingers, 368
Video assessment of surgical technique, 65

W

Waiting list initiative (letter to editor), 553
Whistling deformity, correction using propeller flap, 113
Wire frames, in external fixation of grafts (ideas and innovations), 69
Wounds
contraction, foetal, *in vitro*, 302
dressings
calcium alginate, for mini skin grafts, 55
comparison of calcium alginate and scarlet red in healing of split thickness skin graft donor sites, 247
comparison of polyethylene sheet and Jelonet as temporary dressings for excised wounds, 612
securing on scalp (case report), 155
split skin graft donor sites, comparison of hydrocolloid and alginate, 333
healing
effect of mechanical stress, 514
effects of ultraviolet radiation, 210
foetal, effect of amniotic fluid, 302
hyaloronan and, 575
modified electrosurgical electrode, 495
tensile strength, effect of ultraviolet-A irradiation, 509
tension, relation to scar morphology in pre-sternal scar, 291

X

Xerophthalmia, management by submandibular gland transfer, 506

Author Index

A

Abramovich, D.R., jt.author. *See* Kaawach, W.F.
Acland, R.D., jt.author. *See* Gu, J.-M.
Adzick, N.S., jt.author. *See* Burd, D.A.R.
Afshar, F., jt.author. *See* Waterhouse, N.
Akizuki, T., jt.author. *See* Kamiji, T.
Al-Qattan, M.M. Turban tumour: eccrine or apocrine in origin (letter to editor), 318
Alison, W.E., jt.author. *See* Hayward, P.G.
Alpert, B.S., jt.author. *See* Canales, F.
Amarante, J., jt.author. *See* Costa, H.
Anderson, G.L., jt.author. *See* Gu, J.-M.
Andreassen, T.T., jt.author. *See* Timmenga, E.J.F.
Archibald, S., jt.author. *See* Thoma, A.
Arnljots, B., jt.author. *See* Salemark, L.
Arnstein, P. and Fleming, S. Bag packers' hand (letter to editor), 158
Arnstein, P.M. and Bryson, R. The waiting list initiative—a cautionary tale (letter to editor), 553
Arnstein, P.M., jt.author. *See* McGeorge, D.D.
Arroyo, J.M[a], jt.author. *See* De La Plaza, R.
Ashall, G. Atraumatic removal of microsutures (ideas and innovations), 238
Attalla, M.F. Subcoronal hypospadias with complete prepuce: a distinct entity and new procedure for repair, 122
Audet, B.U., jt.author. *See* Jackson, I.T.
Ayad, H., jt.author. *See* Shalaby, H.A.

B

Babović, S., jt.author. *See* Šućur, D.
Bainbridge, L.C. Comparison of room temperature and body temperature local anaesthetic solutions, 147
Bainbridge, L.C., Wright, A.R. and Kanthan, R. Computed tomography in the preoperative assessment of Poland's syndrome, 604
Balakrishnan, C. Latissimus dorsi breast reconstruction (letter to editor), 392
Balakrishnan, C. and Papini, R. Removal of unwanted tattoos (letter to editor), 471
Baldwin, M.A.R. Reconstruction of the cheek and palate (letter to editor), 554
Balogh, B., jt.author. *See* Piza-Katzer, H.
Barker, J.H., jt.author. *See* Gu, J.-M.
Barry-Walsh, C., jt.author. *See* Butler, P.E.M.
Barthe Garcia, P., Suarez Nieto, C., and Rojo Ortega, J.M. Morphological changes in the vascularisation of delayed flaps in rabbits, 285
Batchelor, A.G., jt.author. *See* Deveraj, V.S.
Beardsworth, E., jt.author. *See* Poole, M.D.
Bellonias, E.C. and Nancarrow, J.D. Two unusual cases of distal interphalangeal joint Dupuytren's contracture, 602
Benmeir, P., Neuman, A., Weinberg, A., Rotem, M., Eldad, A., Kaplan, H. and Wexler, M.R. Reconstruction of a completely burned nose by a free dorsalis pedis flap, 570
Birchall, M.A. The Moriarty Sign (letter to editor), 553
Birchall, M.A., Varma, S. and Milward, T.M. The Moriarty sign: an appraisal, 149
Biscop, J. de, jt.author. *See* Martin, D.
Bise, R.N., Jackson, I.T., Fukuta, K. and Smit, R. Nasal bone haemangiomas: rare entities treatable by craniofacial approach, 206
Bitoni-Grillo, C., jt.author. *See* Martin, D.
Blake, G.B., jt.author. *See* Lawrence, J.E.
Blake, G.B., jt.author. *See* Tan, S.T.
Blight, A., Fatah, M.F., Datubo-Brown, D.D., Mountford, E.M. and Cheshire, I.M. The treatment of donor sites with cultured epithelial grafts, 12
Bouchier-Hayes, D., jt.author. *See* Butler, P.E.M.
Bramhall, S. and Varma, S. Metastatic squamous cell carcinoma presenting as cellulitis (case report), 622
Brantley, S.K., jt.author. *See* Das, S.K.
Brantley, S.K., jt.author. *See* Davidson, S.F.
Breach, N.M., jt.author. *See* Searle, A.E.
Brown, D.M., jt.author. *See* Khouri, R.K.
Bryson, R., jt.author. *See* Arnstein, P.M.
Buncke, G.M., jt.author. *See* Canales, F.
Buncke, H.J., jt.author. *See* Canales, F.
Burd, D.A.R., Greco, R.M., Regauer, S., Longaker, M.T., Siebert, J.W. and Garg, H.G. Hyaluronan and wound healing: a new perspective, 579
Burd, D.A.R., Longaker, M.T., Rittenberg, T., Adzick, N.S., Harrison, M.R. and Ehrlich, H.P. *In vitro* foetal wound contraction: the effect of amniotic fluid, 302
Butler, P.E.M., Barry-Walsh, C., Curren, B., Grace, P.A., Leader, M. and Bouchier-Hayes, D. Improved wound healing with a modified electrosurgical electrode, 495

C

Canales, F., Lineaweaver, W.C., Furnas, H., Whitney, T.M., Siko, P.P., Alpert, B.S., Buncke, G.M. and Buncke, H.J. Microvascular tissue transfer in paediatric patients: analysis of 106 cases, 423
Cardoso, A., jt.author. *See* Costa H.
Carp, S.S., jt.author. *See* Hayward, P.G.
Çerkeş, N., jt.author. *See* Erer, C.M.
Chadha, A. and Lagvankar, S. A method of locating a tiny hypospadias fistula (ideas and innovations), 236
Chait, L. and Ritz, M. A new approach for the refinement of the very broad nasal tip, 572
Chambers, S., jt.author. *See* Tan, S.T.
Cheah, S.T., jt.author. *See* Tan, K.C.
Chen, G.Y., jt.author. *See* Zhou, G.
Cheshire, I.M., jt.author. *See* Blight, A.
Chou, C.-K., jt.author. *See* Lai, C.-S.
Chou, C.-K., jt.author. *See* Lin, S.-D.
Chowdhury, S.R. and Roy, A. Duplication of the upper lip and maxilla (case report), 468
Christie F.B., Stirrups, D.R., Mackenzie, J.S. and Lawrence, G.M. An orthodontic evaluation of 16-year-old males with an original complete unilateral cleft lip and palate problem repaired during the neonatal period, 557
Clarke, J.A., jt.author. *See* Phipps, A.R.
Clarke, J.A., jt.author. *See* Turley, C.B.
Cole, R.P., Gault, D.T., Mayou, B.J. and Davis, P.K.B. Pain and forehead expansion, 41
Coleman, D.J., Foo, I.T.H. and Sharpe, D.T. Textured or smooth implants for breast augmentation? A prospective controlled trial, 444
Collares, M., jt.author. *See* Jackson, I.T.
Collares, M.V., jt.author. *See* Fukuta, K.
Colville, J. Needle-hook—a convenient retractor (ideas and innovations), 156
Comba, S., jt.author. *See* Costa, H.
Cooper, G.J., jt.author. *See* Mellor, S.G.
Cormack, G. Breast hypoplasia (letter to editor), 627

Cormack, G.C. and Quaba, A.A. Bilobe modification of the deep inferior epigastric artery flap for abdominal wall defect reconstruction (case report), 541
Costa, H., Comba, S., Martins, A., Rodrigues, J., Reis, J. and Amarante, J. Further experience with the posterior interosseous flap, 449
Costa, H., Guimarães, I., Cardoso, A., Malta, A., Amarante, J. and Guimarães, F. One-staged coverage and revascularisation of traumatised limbs by a flow-through radial mid-forearm free flap, 533
Cotton, B.R., jt.author. *See* Varma, S.K.
Curren, B., jt.author. *See* Butler, P.E.M.
Cutting, P., jt.author. *See* Turley, C.B.

D

da Silva, A.L., jt.author. *See* Destro, M.W.B.
Das, S.K., Brantley, S.K. and Davidson, S.F. Wound tensile strength in the hairless guinea pig following irradiation with pure ultraviolet-A light, 509
Das, S.K., jt.author. *See* Davidson, S.F.
Datubo-Brown, D.D., jt.author. *See* Blight, A.
Davidson, S.F., Brantley, S.K. and Das, S.K. The effects of ultraviolet radiation on wound healing, 210
Davies, A.H., jt.author. *See* Glasby, M.A.
Davis, P.K.B., jt.author. *See* Cole, R.P.
Davis, P.K.B., jt.author. *See* Floros, C.
Davison, S.F., jt.author. *See* Das, S.K.
De La Plaza, R., Valiente, E. and Arroyo, J.M[a] Supraperiosteal lifting of the upper two-thirds of the face, 325
De Mey, A., Lejour, M., Declety, A. and Meythiaz, A.M. Late results and current indications of latissimus dorsi breast reconstructions, 1
Declety, A., jt.author. *See* De Mey, A.
Destro, M.W.B., da Silva, A.L. and Speranzini, M.B. Lower eyelid repair utilising triangular skin flaps with subcutaneous pedicles, 363
Devaraj, V.S., Kay, S.P., Batchelor, A.G. and Yates, A. Microvascular surgery in children, 276
Dhanaraj, P., jt.author. *See* Korula, P.
Dougan, P., jt.author. *See* Salemark, L.
Drummond, G., Scott, P., Mackay, D. and Lipschitz, R. Separation of the Baragwanath craniopagus twins, 49
Dziewulski, P. The migrating tendon spacer (letter to editor), 393
Dziewulski, P. and Phipps, A.R. Modification of the dermacarrier to obtain meshed split skin grafts of different expansion ratios (ideas and innovations), 315

E

Eadie, P.A., jt.author. *See* Jones, N.F.
Ehrlich, H.P., jt.author. *See* Burd, D.A.R.
El-Khalifa, M.A., jt.author. *See* Shalaby, H.A.
Eldad, A., jt.author. *See* Benmeir, P.
Endo, T., Nakayama, Y. and Soeda, S. Reconstruction of the cheek and palate using a three-paddle tensor fasciae latae free flap (case report), 234
Erer, C.M., Çerkeş, N. and Ersezen, C. Survival of a free radial forearm flap without venous return (case report), 60
Ersezen, C., jt.author. *See* Erer, C.M.

F

Fatah, M.F. Innervation and functional reconstruction of the forehead, 351
Fatah, M.F., jt.author. *See* Blight, A.
Fleming, S., jt.author. *See* Arnstein, P.
Floros, C. and Davis, P.K.B. Complications and long-term results following abdominoplasty: a retrospective study, 190
Foo, I.T.H., jt.author. *See* Coleman, D.J.
Foucher, G. and Moss, A.L.H. Microvascular second toe to finger transfer: a statistical analysis of 55 transfers, 87
Fryer, P.R., jt.author. *See* Nishikawa, H.
Fukuda, H., jt.author. *See* Koshima, I.
Fukui, A., jt.author. *See* Inada, Y.
Fukui, A., jt.author. *See* Maeda, M.
Fukuta, K., Jackson, I.T., Collares, M.V., Har-Shai, Y. and Namiki, Y. The volume limitation of the galeal temporalis flap in facial augmentation, 281
Fukuta, K., jt.author. *See* Bise, R.N.
Fukuta, K., jt.author. *See* Jackson, I.T.
Fumiiri, M., jt.author. *See* Hirai, T.
Fumiiri, M., jt.author. *See* Hyakusoku, H.
Furnas, H., jt.author. *See* Canales, F.

G

Garg, H.G., jt.author. *See* Burd, D.A.R.
Gattuso, J.M., jt.author. *See* Glasby, M.A.
Gault, D.T., jt.author. *See* Cole, R.P.
Gerdin, B., jt.author. *See* Wadström, J.
Gilpin, D.J., jt.author. *See* Kay, S.
Glasby, M.A., Davies, A.H., Gattuso, J.M. and Heywood, A.J. Specificity for homonymous pathways following repair of peripheral nerves with treated skeletal muscle autografts—in the primate, 135
Gluckman, P., jt.author. *See* Searle, A.E.
Gondalia, J.S., jt.author. *See* Patel, R.V.
Goodacre, T.E.E., jt.author. *See* Kangesu, L.
Gosain, A.K. and Markison, R.E. Catheter irrigation for treatment of pyogenic closed space infections of the hand, 270
Grace, P.A., jt.author. *See* Butler, P.E.M.
Greco, R.M., jt.author. *See* Burd, D.A.R.
Green, C.J., jt.author. *See* Nishikawa, H.
Green, C.J., jt.author. *See* Rath, S.
Griffiths, P., jt.author. *See* Poole, M.D.
Griffiths, R.W. Plastic surgery in a changing health service: Kay-Kilner Prize Essay 1990, 187
Gu, J.-M., Acland, R.D., Anderson, G.L., Wyllie, F. and Barker, J.H. Poor surgical technique produces more emboli after arterial anastomosis of an island flap, 126
Guimarães, F., jt.author. *See* Costa H.
Guimarães, I., jt.author. *See* Costa H.
Gurusinghe, C.J., jt.author. *See* Kumar, P.A.V.

H

Haeseker, B. 1891-1991: The centenary of innovative reconstructive hand surgery by Carl Nicoladoni, 306
Hage, J.J. Axillary osmidrosis and hyperhidrosis (letter to editor), 392
Hamanaka, H., jt.author. *See* Suzuki, S.
Hamanaka, T., jt.author. *See* Koshima, I.
Hankins, C.L., jt.author. *See* Varma, S.K.
Har-Shai, Y., jt.author. *See* Fukuta, K.
Har-Shai, Y., jt.author. *See* Jackson, I.T.
Harashina, T., jt.author. *See* Inoue, T.
Harashina, T., jt.author. *See* Ueda, K.
Harii, K., jt.author. *See* Nakahara, M.
Harrison, M.R., jt.author. *See* Burd, D.A.R.
Hatoko, M., jt.author. *See* Inoue, T.
Hatoko, M., jt.author. *See* Ueda, K.
Hayashi, A. and Maruyama, Y. Subclavicular approach in head and neck reconstruction with the latissimus dorsi musculocutaneous flap (ideas and innovations), 71
Hayashi, R., jt.author. *See* Matsuo, K.
Hayward, P.G., Alison, W.E., Carp, S.S., Hui, P.S. and Robson, M.C. Local infiltration of an angiogenic growth factor does not stimulate the delay phenomenon, 526
Henderson, H.P., jt.author. *See* Varma, S.K.
Heywood, A.J. and Quaba, A.A. A cheek island flap for the lower eyelid, 183
Heywood, A.J., jt.author. *See* Glasby, M.A.
Hickey, M.J., jt.author. *See* Kumar, P.A.V.
Higazi, M., jt.author. *See* Shalaby, H.A.
Hirai, T., Hyakusoku, H. and Fumiiri, M. The use of a wire frame to fix grafts externally (ideas and innovations), 69
Hirose, T., jt.author. *See* Matsuo, K.
Hirose, T., jt.author. *See* Noguchi, M.
Hirshowitz, B. Treatment of scars and keloids (letter to editor), 318
Homma, K., jt.author. *See* Sugihara, T.
Houthoff, H.J., jt.author. *See* Timmenga, E.J.F.

Hruza, G.J., jt.author. *See* Wee, S.S.
Hui, P.S., jt.author. *See* Hayward, P.G.
Hyakusoku, H., Yamamoto, T. and Fumiiri, M. The propeller flap method, 53
Hyakusoku, H., jt.author. *See* Hirai, T.
Hyon, S.-H., jt.author. *See* Matsuda, K.

I

Igawa, H.H., jt.author. *See* Sugihara, T.
Ikada, Y., jt.author. *See* Matsuda, K.
Ilyas, S., jt.author. *See* Lees, V.
Inada, Y., Fukui, A., Tamai, S., Kakihana, T. and Maeda, M. The sliding venous flap for covering skin defects with poor blood supply on the lateral aspects of fingers, 368
Inada, Y., jt.author. *See* Maeda, M.
Inoue, G. Fingertip reconstruction with a dorsal transposition flap, 530
Inoue, G. and Tamura, Y. The use of an afferent arteriovenous fistula in digit replantation surgery: a report of two cases, 230
Inoue, T., Ueda, K., Hatoko, M. and Harashina, T. The pedicled extended serratus anterior myocutaneous flap for head and neck reconstruction, 259
Inoue, T., jt.author. *See* Ueda, K.
Irwin, M.S., Mercer, D.M. and Walker, N.P.J. Amelanotic lentigo malignant melanoma: a case report and review of the literature (case report), 312
Isshiki, N., jt.author. *See* Matsuda, K.
Isshiki, N., jt.author. *See* Suzuki, S.
Itoh, M., jt.author. *See* Takato, T.

J

Jackson, I.T., Har-Shai, Y., Fukuta, K. and Collares, M. A well developed alveolabial sulcus of the intermaxilla in a complete bilateral cleft lip and palate, 463
Jackson, I.T., Ross, J.H., Fukuta, K. and Audet, B.U. "Side table assembly"—an adjuvant to craniofacial reconstruction, 348
Jackson, I.T., jt.author. *See* Bise, R.N.
Jackson, I.T., jt.author. *See* Fukuta, K.
James, N.K., Mercer, N.S.G., Peat, B., Pigott, R.W. and McComb, H. Nasal symmetry: a 16-year comparison between the Pigott and McComb nasal correction, 562
James, N.K. and Reid, C.D. Plastic surgery audit codes: are the results reproducible?, 62
Jewell, J. and Laitung, J.K.G. A simple method of securing a dressing on scalp wounds (ideas and innovations), 155
Jones, N.F., Eadie, P.A. and Myers, E.N. Double lumen free jejunal transfer for reconstruction of the entire floor of mouth, pharynx and cervical oesophagus, 44

K

Kaawach, W.F., Oliver, A.M., Weiler-Mithoff, E., Abramovich, D.R. and Rayner, C.R. Survival assessment of cultured epidermal allografts applied onto partial-thickness burn wounds, 321
Kajikawa, A., jt.author. *See* Nakahara, M.
Kakihani, T., jt.author. *See* Inada, Y.
Kamiji, T., Takagi, T., Akizuki, T., Kurukata, M. and Ohmori, K. A long surviving case of holoprosencephaly agnathia series, 386
Kangesu, L., Goodacre, T.E.E. and Stanley, P.R.W. Survival of irradiated gluteraldehyde preserved bovine cartilage in nasal reconstruction: a retrospective study, 483
Kanthan, R., jt.author. *See* Bainbridge, L.C.
Kaplan, H., jt.author. *See* Benmeir, P.
Katsaros, J. and Proudman, T.W. The very long posterior tibial artery island flap, 599
Kay, S. and Gilpin, D.J. Combined microsurgical and thrombolytic salvage of an ischaemic lower limb in a 1079 gram preterm neonate, 310
Kay, S.P., jt.author. *See* Deveraj, V.S.
Khazanchi, R.K., jt.author. *See* Pal, S.
Khouri, R.K., Brown, D.M., Leal-Khouri, S.M., Tark, K.C. and Shaw, W.W. The effect of basic fibroblast growth factor on the neovascularisation process: skin flap survival and staged flap transfers, 585
Kimura, C., jt.author. *See* Ono, I.
Kitano, M., jt.author. *See* Takato, T.
Kiyono, M., jt.author. *See* Matsuo, K.
Klopper, P.J., jt.author. *See* Timmenga, E.J.F.
Kode, G.M. Penile duplication (case report), 151
Korula, P. A modified needleholder for microsurgery—reply (letter to editor), 471
Korula, P., Ramchandra, N.E. and Dhanaraj, P. Temporomandibular arthroplasty by pedicled transfer of the sternoclavicular joint—a simplified technique, 410
Koshima, I., Moriguchi, T., Soeda, S., Hamanaka, T. and Umeda, N. Free second toe transfer for reconstruction of the distal phalanx of the fingers, 456
Koshima, I., Soeda, S., Nakayama, Y., Fukuda, H. and Tanaka, J. An arterialised venous flap using the long saphenous vein, 23
Kudo, H., jt.author. *See* Sawada, Y.
Kumar, P., jt.author. *See* Tiwari, V.K.
Kumar, P.A.V., Hickey, M.J., Gurusinghe, C.J. and O'Brien, B.McC. Long term results of submandibular gland transfer for the management of xerophthalmia, 506
Kurukata, M., jt.author. *See* Kamiji, T.
Kuwahara, M., jt.author. *See* Nakajima, T.
Kyoku, I., jt.author. *See* Takato, T.

L

Lagvankar, S., jt.author. *See* Chadha, A.
Lai, C.-S., Lin, S.-D., Yang, C.-C. and Chou, C.-K. Adipofascial turn-over flap for reconstruction of the dorsum of the foot, 170
Lai, C.-S., Lin, S.-D., Yang, C.-C. and Chou, C.-K. The adipofascial turn-over flap for complicated dorsal skin defects of the hand and finger, 165
Lai, C.-S., jt.author. *See* Lin, S.-D.
Laitung, J.K.G., jt.author. *See* Jewell, J.
Lawrence, G.M., jt.author. *See* Christie, F.B.
Lawrence, J.E. and Blake, G.B. A comparison of calcium alginate and scarlet red dressings in the healing of split thickness skin graft donor sites, 247
Leader, M., jt.author. *See* Butler, P.E.M.
Leal-Khouri, S.M., jt.author. *See* Khouri, R.K.
Lee, S.T., jt.author. *See* Tan, K.C.
Lees, V., Ilyas, S. and Reid, C.D. A comparison of the use of polythene sheet and Jelonet as temporary dressings for excised wounds, 612
Lei, B.van der *see* van der Lei, B.
Lejour, M., jt.author. *See* De Mey, A.
Lin, S.-D., Chou, C.-K., Yang, C.-C. and Lai, C.-S. Reconstruction of plantar heel defect using reinnervated, skin-grafted flexor digitorum brevis flap, 109
Lin, S.-D., jt.author. *See* Lai, C.-S.
Lindsey, L.A., Watson, J.D. and Quaba, A.A. Pulse oximetry in postoperative monitoring of free muscle flaps, 27
Lineaweaver, W.C., jt.author. *See* Canales, F.
Ling, Y.C., jt.author. *See* Zhou, G.
Lipschitz, R., jt.author. *See* Drummond, G.
Longaker, M.T., jt.author. *See* Burd, D.A.R.

M

McComb, H., jt.author. *See* James, N.K.
McDiarmid, J.G.M., jt.author. *See* Stranc, M.F.
McGeorge, D.D., Arnstein, P.M. and Stilwell, J.H. The distally-based brachioradialis muscle flap, 30
McGregor, I.A. Symphyseal mandibular osteotomy in the approach to sublingual dermoid cyst (case report), 544
McGregor, I.A. The use of dermis to reconstruct the musculoaponeurotic element of the anterior abdominal wall, 619
McGrouther, D.A., jt.author. *See* Meyer, M.
Mackay, D., jt.author. *See* Drummond, G.
Mackenzie, J.S., jt.author. *See* Christie, F.B.
Madzharov, M.M. "Conchal show" measurements: a new idea in prominent ear correction (letter to editor), 627
Maeda, M., Fukui, A., Tamai, S., Mizumoto, S. and Inada, Y.

Continuous local intra-arterial infusion of antithrombotic agents for replantation (comparison with intravenous infusion), 520
Maeda, M., jt.author. *See* Inada, Y.
Malta, A., jt.author. *See* Costa H.
Mandour, S., jt.author. *See* Shalaby, H.A.
Manek, S., jt.author. *See* Nishikawa, H.
Markison, R.E., jt.author. *See* Gosain, A.K.
Marković, S., jt.author. *See* Šućur, D.
Marshall, D.R., jt.author. *See* Webster, H.R.
Martin, D., Bitoni-Grillo, C., Biscop, J. de, Schott, H., Mondie, J.M. and Peri, G. Mandibular reconstruction using a free vascularised osteocutaneous flap from the internal condyle of the femur, 397
Martinot-Duquennoy, V. Prefabrication of thin transferable axial-pattern skin flaps (letter to editor), 472
Martins, A., jt.author. *See* Costa, H.
Maruyama, Y. Ascending scapular flap and its use for the treatment of axillary burn scar contracture, 97
Maruyama, Y. and Yoshitake, M. The axial dorsal metacarpal V-Y advancement flap for the repair of distal forearm skin defects, 274
Maruyama, Y., jt.author. *See* Hayashi, A.
Maruyama, Y., jt.author. *See* Sawaizumi, M.
Masquelet, A.C., jt.author. *See* Valenti, Ph.
Masser, M.R. and Moir, G.C. A randomised controlled study to evaluate the effect of Nafidrofuryl in a rat ischaemic skin flap model, 338
Masser, M.R., jt.author. *See* Theunis, P.G.
Matsuda, K., Suzuki, S., Isshiki, N., Yoshioka, K., Okada, T., Hyon, S.-H. and Ikada, Y. A bilayer £artificial skin' capable of sustained release of an antibiotic, 142
Matsuo, K. and Hirose, T. Preoperative non-surgical over-correction of cleft lip nasal deformity, 5
Matsuo, K., Hirose, T., Hayashi, R. and Kiyono, M. Reconstruction of large chest wall defects using a combination of a contralateral latissimus dorsi and a rectus abdominis musculocutaneous flap, 102
Matsuo, K., jt.author. *See* Noguchi, M.
Mayou, B.J., jt.author. *See* Cole, R.P.
Mellor, S.G., Rice, P. and Cooper, G.J. Vesicant burns, 434
Mendez-Fernandez, M.A. The dartos musculocutaneous flap (letter to editor), 392
Mercer, D.M., jt.author. *See* Irwin, M.S.
Mercer, N.S.G., jt.author. *See* James, N.K.
Meyer, M. and McGrouther, D.A. A study relating wound tension to scar morphology in the pre-sternal scar using Langers technique, 291
Meythiaz, A.M., jt.author. *See* De Mey, A.
Miller, H.L., jt.author. *See* Pernia, L.R.
Milward, T.M. Sub-specialization or super-specialization (letter to editor), 554
Milward, T.M., jt.author. *See* Birchall, M.A.
Minnis, R.J. and Sutton, R.A. Carbon fibre pad insertion as a method of achieving soft tissue augmentation in order to reduce the liability to pressure sore development in the spinal injury patient, 615
Misawa, H.T.A., jt.author. *See* Ono, I.
Misuhara, T., jt.author. *See* Takato, T.
Miyachi, Y., jt.author. *See* Suzuki, S.
Mizumoto, S, jt.author. *See* Maeda, M.
Moir, G.C., jt.author. *See* Masser, M.R.
Mondie, J.M., jt.author. *See* Martin, D.
Moriguchi, T., jt.author. *See* Koshima, I.
Morrison, W.A. Prefabrication of thin transferable axial-pattern skin flaps (letter to editor), 472
Moss, A.L.H., jt.author. *See* Foucher, G.
Motegi, M. , jt.author. *See* Sawaizumi, M.
Moudgil, K., jt.author. *See* Pal, S.
Mountford, E.M., jt.author. *See* Blight, A.
Murazumi, M., jt.author. *See* Ono, I.
Mustoe, T.A., jt.author. *See* Wee.S.S.
Myers, E.N., jt.author. *See* Jones, N.F.

N

Nakahara, M., Harii, K., Yamada, A., Ueda, K. and Kajikawa, A. Repair of "coup de sabre" with tissue expander, 575
Nakajima, T., Yoneda, K. and Yoshimura, Y. Correction of cryptotia using a subcutaneous pedicled flap, 406
Nakajima, T., Yoshimura, Y., Nakanishi, Y., Kuwahara, M. and Oka, T. Comprehensive treatment of bilateral cleft lip by multidisciplinary team approach, 486
Nakajima, T., jt.author. *See* Yoshimura, Y.
Nakanishi, Y., jt.author. *See* Nakajima, T.
Nakayama, Y., jt.author. *See* Endo, T.
Nakayama, Y., jt.author. *See* Koshima, I.
Namba, K., jt.author. *See* Syed, S.A.
Namiki, Y., jt.author. *See* Fukuta, Y.
Nancarrow, J.D., jt.author. *See* Bellonias, E.C.
Neuman, A., jt.author. *See* Benmeir, P.
Ninković, M., jt.author. *See* Šućur, D.
Nishikawa, H., Manek, S., Fryer, P.R. and Green, C.J. Reperfusion injury in rat adipomusculocutaneous flaps: an ultrastructural and microangiographic study, 500
Nishikawa, H., Manek, S. and Green, C.J. The oblique rat groin flap, 295
Nishimura, G., jt.author. *See* Syed, S.A.
Noguchi, M., Matsuo, K. and Hirose, T. Reconstruction of short nose deformity using nasolabial flaps pedicled on the infraorbital vessels, 567
Nordin, J.Y., jt.author. *See* Valenti, Ph.

O

O'Brien, B.Mc., jt.author. *See* Kumar, P.A.V.
Ohmori, K., jt.author. *See* Kamiji, T.
Ohura, T., jt.author. *See* Ono, I.
Ohura, T., jt.author. *See* Sugihara, T.
Oka, T., jt.author. *See* Nakajima, T.
Okada, T., jt.author. *See* Matsuda, K.
Okajimi, K. , jt.author. *See* Sawaizumi, M.
Oliver, A.M., jt.author. *See* Kaawach, W.F.
Ono, I., Ohura, T., Kimura, C., Murazumi, M., Sakamura, R. and Misawa, H.T.A. Correction of microtia with construction of the tragus using a chondrocutaneous flap, 250
Orticochea, M. New surgical technique for reconstruction of the ala of the nose, 359
O'Shaughnessy, M. and Rao, S. Ptosis of the ear (letter to editor), 627
Otsuka, T. and Terauchi, M. An anomaly of the radial artery—relevance for the forearm flap (case report), 390

P

Pal, S., Khazanchi, R.K. and Moudgil, K. An experimental study on the effect of nifedipine on ischaemic skin flap survival in rats, 299
Papini, R., jt.author. *See* Balakrishnan, C.
Patel, R.V. and Gondalia, J.S. Congenital infiltrating lipomatosis of the face (letter to editor), 157
Payk, I., jt.author. *See* Thoma, A.
Peat, B., jt.author. *See* James, N.K.
Peri, G., jt.author. *See* Martin, D.
Pernia, L.R., Miller, H.L., Saltz, R. and Vasconez, L.O. "Supercharging" the rectus abdominis muscle to provide a single flap for cover of large mediastinal wound defects, 243
Phipps, A.R. and Clarke, J.A. The use of intermingled autograft and parental allograft skin in the treatment of major burns in children, 608
Phipps, A.R., jt.author. *See* Dziewulski, P.
Pigott, R.W., jt.author. *See* James, N.K.
Piza-Katzer, H. and Balogh, B. Experience with 60 inferior rectus abdominis flaps, 438
Poole, M.D., Walters, E., Beardsworth, E. and Griffiths, P. Orbital dystopia:attempts to evaluate the results of surgery, 81
Poole, M.D., jt.author. *See* Sassoon, E.M.
Porter, J.M. A comparative investigation of re-epithelialisation of split skin graft donor area after application of hydrocolloid and alginate dressings, 333
Proudman, T.W., jt.author. *See* Katsaros, J.

Q

Qiao, Q., jt.author. *See* Zhou, G.
Quaba, A.A., jt.author. *See* Cormack, G.C.

Quaba, A.A., jt.author. *See* Heywood, A.J.
Quaba, A.A., jt.author. *See* Lindsey, L.A.

R

Ramaswamy, C.N. Topical lignocaine gel on skin graft donor sites (letter to editor), 157
Ramchandra, N.E., jt.author. *See* Korula, P.
Rao, S., jt.author. *See* O'Shaughnessy, M.
Rath, S. and Green, C.J. Selectivity of distal reinnervation of regenerating mixed motor and sensory nerve fibres across muscle grafts in rats, 215
Rayner, C.R., jt.author. *See* Kaawach, W.F.
Rees, T.D. Unoperated bilateral cleft lip and palate in a young adult: a thirty three year follow-up, 378
Regauer, S., jt.author. *See* Burd, D.A.R.
Reid, C.D., jt.author. *See* James, N.K.
Reid, C.D., jt.author. *See* Lees, V.
Reis, J., jt.author. *See* Costa, H.
Rice, P., jt.author. *See* Mellor, S.G.
Riley, P. and Roberts, A.H.N. Local anaesthetics in dental cartridges (letter to editor), 471
Rittenberg, T., jt.author. *See* Burd, D.A.R.
Ritz, M., jt.author. *See* Chait, L.
Robbins, S., jt.author. *See* Waterhouse, N.
Roberts, A.H.N., jt.author. *See* Riley, P.
Robson, M.C., jt.author. *See* Hayward, P.G.
Rodrigues, J., jt.author. *See* Costa, H.
Rojo Ortego, J.M., jt.author. *See* Barthe Garcia, P.
Romana, C., jt.author. *See* Valenti, Ph.
Ross, J.H., jt.author. *See* Jackson, I.T.
Rotem, M., jt.author. *See* Benmeir, P.
Roy, A., jt.author. *See* Chowdhury, S.R.
Rushworth, G., jt.author. *See* Sassoon, E.M.

S

Sakai, S. and Terayama, I. Modification of the island subcutaneous pedicle flap for the reconstruction of defects of the sole of the foot, 179
Sakamoto, K., jt.author. *See* Takato, T.
Sakamura, R., jt.author. *See* Ono, I.
Salemark, L., Wieslander, J.B., Dougan, P. and Arnljots, B. Studies of the antithrombotic effects of dextran 40 following microarterial trauma, 15
Saltz, R., jt.author. *See* Pernia, L.R.
Sanders, R., jt.author. *See* Searle, A.E.
Sassoon, E.M., Poole, M.D. and Rushworth, G. Reanimation for facial palsy using gracilis muscle grafts, 195
Sawada, Y., Kudo, H. and Sone, K. Cause of closed suction drainage tube obstruction and its prevention using a tube coated on the inside with a silicone gel drug delivery system, 589
Sawaizumi, M., Maruyama, Y., Okajimi, K. and Motegi, M. Free vascularised epiphyseal transfer designed on the reverse anterior tibial artery (case report), 57
Schott, H., jt.author. *See* Martin, D.
Scott, P., jt.author. *See* Drummond, G.
Searle, A.E., Gluckman, P., Sanders, R. and Breach, N.M. Sternoclavicular joint swellings: diagnosis and management, 403
Shakespeare, P., jt.author. *See* Shakespeare, V.
Shakespeare, V. and Shakespeare, P. Effects of granulation-tissue-conditioned medium on the growth of human keratinocytes in-vitro, 219
Shalaby, H.A., Higazi, M., Mandour, S., El-Khalifa, M.A. and Ayad, H. Distally based medial island septocutaneous flap for repair of soft-tissue defects of the lower leg, 175
Sharma, R.K., jt.author. *See* Tiwari, V.K.
Sharma, S., jt.author. *See* Thatte, R.L.
Sharpe, D.T., jt.author. *See* Coleman, D.J.
Shaw, W.W., jt.author. *See* Khouri, R.K.
Siebert, J.W., jt.author. *See* Burd, D.A.R.
Siko, P.P., jt.author. *See* Canales, F.
Smit, R., jt.author. *See* Bise, R.N.
Soeda, S., jt.author. *See* Endo, T.
Soeda, S., jt.author. *See* Koshima, I.
Sone, K., jt.author. *See* Sawada, Y.
Speranzini, M.B., jt.author. *See* Destro, M.W.B.
Stanley, P.R.W., jt.author. *See* Kangesu, L.
Stapleton, M.J., jt.author. *See* Terrill, P.J.
Stilwell, J.H., jt.author. *See* McGeorge, D.D.
Stirrups, D.R., jt.author. *See* Christie, F.B.
Stranc, L.C., jt.author. *See* Stranc, M.F.
Stranc, M.F., McDiarmid, J.G.M. and Stranc, L.C. Video assessment of surgical technique, 65
Stronck, J.W., jt.author. *See* van der Lei, B.
Suarez Nieto, C., jt.author. *See* Barthe Garcia, P.
Šućur, D., Ninković, M., Marković, S. and Babović, S. Reconstruction of an avulsed ear by constructing a composite free flap (case report), 153
Sugihara, T., Ohura, T., Homma, K. and Igawa, H.H. The extensibility in human skin: variation according to age and site, 418
Sutton, R.A., jt.author. *See* Minnis, R.J.
Suzuki, S., Yoshioka, N., Isshiki, N., Hamanaka, H. and Miyachi, Y. Involvement of reactive oxygen species in post-ischaemic flap necrosis and its prevention by antioxidants, 130
Suzuki, S., jt.author. *See* Matsuda, K.
Swift, R., jt.author. *See* Zhou, G.
Syed, S.A., Nishimura, G. and Namba, K. Experimental study on the influence of tension, immobilisation and denervation on muscle transplantation, 224

T

Takagi, T., jt.author. *See* Kamiji, T.
Takato, T., Itoh, M., Yokota, M., Kyoku, I., Kitano, M., Misuhara, T. and Sakamoto, K. Delayed thoracic closure after cardiac surgery in infants, 106
Takato, T., Zuker, R.M. and Turley, C.B. Prefabrication of skin flaps using vein grafts: an experimental study in rabbits, 593
Tamai, S., jt.author. *See* Inada, Y.
Tamai, S., jt.author. *See* Maeda, M.
Tamura, Y., jt.author. *See* Inoue, G.
Tan, K.C., Lee, S.T. and Cheah, S.T. Surgical treatment of sebaceous carcinoma of eyelids with clinico-pathological correlation, 117
Tan, S.T., Blake, G.B. and Chambers, S. Recurrent orf in an immunocompromised host, 465
Tanaka, I., jt.author. *See* Ueda, K.
Tanaka, J., jt.author. *See* Koshima, I.
Tark, K.C., jt.author. *See* Khouri, R.K.
Terauchi, M., jt.author. *See* Otsuka, T.
Terayama, I., jt.author. *See* Sakai, S.
Terrill, P.J. and Stapleton, M.J. The inverted nipple: to cut the ducts or not?, 372
Thatte, M.R. and Thatte, R.L. An arterialised venous flap using the long saphenous vein (letter to editor), 628
Thatte, R.L. and Sharma, S. Uvulopalatorrhaphy in a case of obstructive sleep apnoea (case report), 624
Thatte, R.L., jt.author. *See* Thatte, M.R.
Theunis, P.G. and Masser, M.R. Surgical delay of expanded skin flaps in lower limb resurfacing, 266
Thoma, A., Archibald, S., Payk, I. and Young, J.E.M. The free medial scapular osteofasciocutaneous flap for head and neck reconstruction, 477
Timmenga, E.J.F., Andreassen, T.T., Houthoff, H.J. and Klopper, P.J. The effect of mechanical stress on healing skin wounds: an experimental study in rabbits using tissue expansion, 514
Tiwari, V.K., Kumar, P. and Sharma, R.K. The dartos musculocutaneous flap, 33
Turley, C.B., Cutting, P. and Clarke, J.A. Medial fasciocutaneous flap of thigh for release of post-burn groin contractures, 36

U

Ueda, K., Inoue, T., Tanaka, I., Hatoko, M. and Harashina, T. Chest wall reconstruction by a rectus abdominis myocutaneous composite flap attached with the external oblique fascia: preliminary report, 538
Ueda, K., jt.author. *See* Inoue, T.
Ueda, K., jt.author. *See* Nakahara, M.
Umeda, N., jt.author. *See* Koshima, I.

V

Valenti, Ph., Masquelet, A.C., Romana, C. and Nordin, J.Y. Technical refinement of the lateral supramalleolar flap, 459
Valiente, E., jt.author. *See* De La Plaza, R.
van der Lei, B., Stronck, J.W. and Wildevuur, Ch.R.H. Enhanced healing in 30 μm Gore-Tex PTFE microarterial prostheses by alcohol- pretreatment, 428
Varma, S., jt.author. *See* Birchall, M.A.
Varma, S., jt.author. *See* Bramhall, S.
Varma, S.K., Henderson, H.P. and Cotton, B.R. Treatment of drooling by parotid duct ligation and submandibular duct diversion, 415
Varma, S.K., Henderson, H.P. and Hankins, C.L. Calcium alginate as a dressing for mini skin grafts (skin soup), 55
Vasconez, L.O., jt.author. *See* Pernia, L.R.
Vickers, D.W. A modified needleholder for microsurgery (letter to editor), 157

W

Wadström, J. and Gerdin, B. Modulatory effects of topically administered lidocaine and pentobarbital on traumatic vasospasm in the rabbit ear artery, 341
Walker, N.P.J., jt.author. *See* Irwin, M.S.
Wallace, A.F. The Moriarty Sign (letter to editor), 553
Walters, E., jt.author. *See* Poole.M.D.
Waterhouse, N., Afshar, F. and Robbins, S. A new technique for harvesting calvarial bone, 626
Watson, J.D., jt.author. *See* Lindsey, L.A.
Webster, H.R. and Marshall, D.R. Nasal augmentation in chondrodysplasia using tissue expansion, 384
Wee, S.S., Hruza, G.J. and Mustoe, T.A. The frontonasal flap: utility for lateral nasal defects and technical refinements, 201
Weiler-Mithoff, E., jt.author. *See* Kaawach, W.F.
Weinberg, A., jt.author. *See* Benmeir, P.
Wexler, M.R., jt.author. *See* Benmeir, P.
Whitney, T.M., jt.author. *See* Canales, F.
Wieslander, J.B., jt.author. *See* Salemark, L.
Wildevuur, Ch.R.H., jt.author. *See* van der Lei, B.
Wright, A.R., jt.author. *See* Bainbridge, L.C.
Wyllie, F., jt.author. *See* Gu, J.-M.

Y

Yamada, A., jt.author. *See* Nakahara, M.
Yamamoto, T.,jt.author. *See* Hyakusoku, H.
Yang, C.-C., jt.author. *See* Lai, C.-S.
Yang, C.-C., jt.author. *See* Lin, S.-D.
Yates, A., jt.author. *See* Deveraj, V.S.
Yokota, M., jt.author. *See* Takato, T.
Yoneda, K., jt.author. *See* Nakajima, T.
Yoneda, K., jt.author. *See* Yoshimura, Y.
Yoshikata, R. Axillary osmidrosis and hyperhidrosis—reply (letter to ediotr), 554
Yoshimura, Y., Nakajima, T. and Yoneda, K. Propeller flap for reconstruction of the tubercle of the upper lip, 113
Yoshimura, Y., jt.author. *See* Nakajima, T.
Yoshioka, K., jt.author. *See* Matsuda, K.
Yoshioka, N., jt.author. *See* Suzuki, S.
Yoshitake, M., jt.author. *See* Maruyama, Y.
Young, J.E.M., jt.author. *See* Thoma, A.

Z

Zhou, G., Qiao, Q., Chen, G.Y., Ling, Y.C. and Swift, R. Clinical experience and surgical anatomy of 32 free anterolateral thigh flap transplantations, 91